

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

"List of parasitic fungi of Wisconsin," published in 1912. In these lists many species are presented, either unreported before, more critically studied, or on additional hosts, and 23 new species are described in the following genera: Ascochyta (2), Cercospora (6), Cercosporella (4), Colletotrichum (2), Cylindrosporium, Diplodia, Fusarium, Phyllosticta, Ramularia (2), Septoria (3).— I. M. C.

Secretory tissues of Marattiaceae.—West<sup>13</sup> has investigated the two kinds of secretory tissues that characterize the Marattiaceae, namely the mucilage canals and the cells or ducts containing tannin. He discovered lysigenous mucilage canals in every genus and species examined. The tannin cells are widely distributed through the tissues, occurring either as isolated sacs or grouped together in series.—J. M. C.

Seeds of Ginkgo.—Miss Affourtit and Miss La Rivière<sup>14</sup> have discovered considerable variation in the ribbing in the seeds of *Ginkgo*. They have been described in general as having two ribs and occasionally three. A large number of seeds from a single tree growing in a garden near Rotterdam showed 2, 3, or 4 ribs, and also many gradual transitions.—J. M. C.

Flora of New Guinea.—A new fascicle of the Dutch exploration of the flora of New Guinea has appeared. Previous parts have been reviewed in this journal. The fascicle consists of the beginning of a critical presentation of the orchid flora by J. J. Smith. The present fascicle contains 152 species in 45 genera.—J. M. C.

A fossil moss.—LIGNIER<sup>17</sup> has reported the discovery of a fossil moss from the silex of Grand 'Croix, referred to the Stephanian, in which the structure has been preserved with remarkable distinctness. The specimen is regarded as representing a new species, which is named *Muscites Bertrandi*.—J. M. C.

**Zygnemales.**—Transeau<sup>18</sup> has made a study of Zygnemales, chiefly North American. The 36 species presented are distributed among the 3 genera as follows: *Debarya*, 3 species, 2 of which are new; *Zygnema*, 7 species, 1 of which is new; *Spirogyra*, 26 species, 8 of which are new.—J. M. C.

<sup>&</sup>lt;sup>13</sup> West, Cyril, On the structure and development of the secretory tissues of the Marattiaceae. Ann. Botany 29:409–422. pl. 18. figs. 14. 1915.

<sup>&</sup>lt;sup>14</sup> Affourtit, Miss M. F. A., and La Rivière, Miss H. C. C., On the ribbing of the seeds of *Ginkgo*. Ann. Botany **29**:591-595. *fig. 1*. 1915.

<sup>&</sup>lt;sup>15</sup> Nova Guinea. Résultats de l'expédition scientifique Néerlandaise à la Nouvelle-Guinée en 1912 et 1913 sous les auspices de A. Franssen Herderschee. Vol. XII. Botanique. Livraison III. 4to. pp. 173–272. pls. 55–99. Leide: E. J. Brill. 1915.

<sup>16</sup> Bot. Gaz. 49:464. 1910; 55:462. 1913; 57:342. 1914; 59:335. 1915.

<sup>&</sup>lt;sup>17</sup> LIGNIER, O., Sur une mousse houillère à structure conservée. Bull. Soc. Linn. Normandie VI. 7:128–131. fig. 1. 1914.

<sup>&</sup>lt;sup>18</sup> Transeau, E. N., Notes on the Zygnemales. Ohio Jour. Sci. 16:17-31. 1915.